

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	comon near2 mode near2 interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:46
S2	924977	receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:46
S3	109497	S2 and interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:46
S4	2030	common near2 interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:46
S5	771	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:48
S6	55	laser seeker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:05
S8	27978	common mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:49
S9	6487	S8 and interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 10:49

EAST Search History

S10	5790	pulse detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:05
S11	1065	S10 and interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:06
S12	194	S11 and pulse amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:06
S13	143	S12 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:38
S14	75	interference near3 remover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:50
S15	3	(common near2 mode) with remover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:01
S16	1417	(common near2 mode) with remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 11:52
S17	1184	S16 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:02

EAST Search History

S18	131	S17 and amplitude not phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 13:12
S19*	6344	(common near2 mode) with rejection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:01
S20	6020	S19 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:02
S21	873	S20 and amplitude not phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:02
S22	453	S21 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:02
S23	358	S22 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:03
S24	40	S22 and ((multi\$3 or plural\$4) near2 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 12:05
S25	7972	(common near2 mode) with noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 13:13

EAST Search History

S26	2260	S25 and interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 13:14
S27	442	S26 and ((multi\$4 or plurality) with channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 13:15
S28	413	S27 and (remov\$4 or reject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:00
S29	297	laser with seeker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:00
S30	3	S29 and common mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:01
S31	9388	375/346,148,350.ccls. or 455/296, 63.1,278.1,283,307,295,298.ccls. or 327/309.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:02
S32	1130	S31 and ((Multi near channel) or (plurality near4 channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:24
S33	1059	S32 and (interference or noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:07

EAST Search History

S34	80	S33 and locate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:07
S35	9388	375/346,148,350.ccls. or 455/296, 63.1,278.1,283,307,295,298.ccls. or 327/309.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:25
S36	1130	S35 and ((Multi near channel) or (plurality near4 channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:31
S37	14	S36 and ((common near2 mode) with (interference or noise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:35
S38	411	S36 and ((remov\$4 or reject\$4) with (interference or noise))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:35
S39	85	S38 not phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:55
S40	1	2001/0046256	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:58
S41	4905276	receive\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:58

EAST Search History

S42	5761	S41 with (multi near2 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 14:59
S43	445	S42 and (lowest and highest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:00
S44	212	S43 and sum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:00
S45	196	S44 and (reject\$4 or remov\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:01
S46	37	S45 and (common with mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:06
S47	159	S45 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:08
S48	2909	(plurality or multiple) near3 (data adj channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:09
S49	141	S48 and ((lowest or weakest) with channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:10

EAST Search History

S50	71	S49 and ((highest or strongest) with channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:11
S51	46	S50 and (noise or interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:18
S52	69177	alexander.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:19
S53	408	(alexander william).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:23
S54	11646	pulse near detector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:32
S55	4893	S54 and (interference or noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:32
S56	2805	S55 and (remov\$4 or reject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:33
S57	545	S56 and ((multi\$4 or plurality) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:42

EAST Search History

S58	387	S57 and (maximum or highest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:34
S59	288	S58 and (minimum or lowest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:34
S60	288	S59 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:36
S61	152	S60 and sum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:42
S62	90114	limiter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 15:42
S63	4915	S62 and ((multi\$4 or plurality) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 16:40
S64	372	interference filtering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 16:41
S65	5031	common mode rejection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 16:41

EAST Search History

S66	3	S64 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 16:42
S67	1351	S65 and interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 16:42
S68	88	S67 and multi near2 channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:05
S69	88	S67 and (multi near2 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/02 16:42
S70	1205	(purity or multi\$3) near2 (data adj channels)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:06
S71	345	S70 and sum\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:07
S72	316	S71 and (minimum or low\$3) and (high\$3 or maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:47
S73	216	S72 and (interference or noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:08

EAST Search History

S74	171	S73 and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:09
S75	122	S74 and (remov\$3 or reject\$3 or reset\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:09
S76	6	S74 and (sum\$3 with (low\$3 or minimum) with channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:38
S77	2442	(sum\$3 with (low\$3 or minimum) with channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:45
S78	1169	S77 and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:46
S79	1130	S78 and (minimum or low\$3) and (high\$3 or maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:48
S80	272	S79 and (compar\$3 with (high\$3 or maximum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:49
S81	150	guidance circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 08:54

EAST Search History

S82	48	S81 and (interference or noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 09:10
S83	113996	interfer\$4 with (reject\$3 or remov\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:19
S84	63939	interfer\$4 near4 (reject\$3 or remov\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:19
S85	54518	interfer\$4 near3 (reject\$3 or remov\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:20
S86	5178	S85 and compar\$3 and sum and (maximum or high\$3) AND (minimum or low\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:21
S87	1308	S86 and ((multi\$3 or pluralit\$3) near2 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:22
S89	1191	S87 and filter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:23
S90	72	S89 and (sum with (lowest or minimum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:46

EAST Search History

S91	2823	((remov\$3 or reject\$3 or eliminat\$3) and interference).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:47
S92	5766	((remov\$3 or reject\$3 or eliminat\$3 or filter\$3) and interference).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 10:48
S93	99	S92 and ((multi\$3 or pluralit\$3) near2 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 12:00
S94	2	"6591091".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 12:01
S95	551	common mode interference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 12:01
S96	260	S95 and ((remov\$3 or reject\$3 or eliminat\$3) with interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 12:05
S97	83	S96 and ((multi\$3 or pluralit\$3) near2 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 12:50
S98	2	"5243992".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 13:26

EAST Search History

S99	2	"6575915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/03 13:27
S10 0	11	("4307728" "4802488" "4893631" "5243992" "5269312" "5273046" "5467771" "5494043" "5497779").PN. OR ("6575915").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:29
S10 1	207667	transducer	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:39
S10 2	68606	S101 and (interference or noise)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:39
S10 3	112	S102 and common mode interference	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:40
S10 4	61	S103 and (multi\$3 or plurality) near3 channels	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:47
S10 5	3075	common mode signal	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:47
S10 6	1116	S105 with (reject\$3 or remov\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 13:47
S10 7	97	S106 and ((multi\$3 or plurality) near3 channel\$1)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:01
S10 8	36	398/39.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:07
S10 9	8362	375/349,350,260,267,347,340,285, 346.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:08
S11 0	1979	S109 and ((multi\$3 or plurality) near2 channel\$1)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:09
S11 1	1764	S110 and (interference or noise)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:10
S11 2	1261	S111 and (sum\$4 or add\$3) and compar\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:11

EAST Search History

S11 3	937	S112 and (remov\$3 or reject\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:12
S11 4	865	S113 and (minimum or low\$3) and (maximum or high\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:20
S11 5	23404	navigation system	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:21
S11 6	1156	S115 and (multi\$3 or pluralit\$3) near2 channel\$1	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:21
S11 7	623	S116 and (noise or interference)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 14:22
S11 8	45	S117 and (common mode)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 16:00
S11 9	3999	false detection	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/03 16:01
S12 0	318	S119 and (interference or noise) and ((multi\$3 or pluralit\$3) near2 channel\$1)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 07:35
S12 1	8353	(common mode) with (delet\$3 or remov\$3 or reject\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 07:36
S12 2	12	S121 with ((multi\$3 or pluralit\$3) near2 channel\$1)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 08:40
S12 3	1	(max\$4 or high\$3) same (low\$3 or minimum) same peak same detect same arrang\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 08:44
S12 4	1423	(max\$4 or high\$3) same (low\$3 or minimum) same (peak or amplitude) same detect same channel\$1	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:01
S12 5	39	S124 and ((ascend\$3 or descend\$3) with (order or way))	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 09:17
S12 6	5834	threshold and (sum\$4 with (low\$3 or minimum) with (signal or channel))	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 09:19
S12 7	1402	threshold same (sum\$4 with (low\$3 or minimum) with (signal or channel))	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 09:20

EAST Search History

S12 8	120	S127 and ((multi\$3 or pluralit\$3) near3 channel\$1)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 09:21
S12 9	16602	(reject\$3 or remov\$3 or eliminat\$3) with false	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:03
S13 0	1073	S129 and ((multi\$3 or pluralit\$3) near4 channel\$1)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:04
S13 1	544	S130 and ((minimum or low\$3) with level)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:06
S13 2	518	S131 and detect\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:07
S13 3	517	S132 and (max\$4 or high\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:24
S13 4	676	((multi\$3 or pluralit\$3) with channel\$1) same (ascend\$3 or descent\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:26
S13 5	182	S134 and sum\$4 and compar\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:38
S13 6	476	sum\$3 with subset with (data or channel or signal)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:43
S13 7	0	S127 and ((multi\$3 or pluralit\$3) near3 chanel)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/04 10:44

☐ [Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Edit an existing query or compose a new query in the Search Query Display.

Thu, 5 Oct 2006, 12:20:04 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((common mode interference<in>metadata) <and> (rejection or removal or elimination<in>metadata))<and> (multiple channels<in>metadata)	0
#2	((common mode interference<in>metadata) <and> (rejection or removal or elimination<in>metadata))	0
#3	((common mode interference<in>metadata) <and> (elimination<in>metadata))	0
#4	((common mode interference<in>metadata) <and> (rejection<in>metadata))	0
#5	(common mode interference<in>metadata)	13